DBCLOUD
EXAMS

QUESTIONS & ANSWERS

verified



Technology Provider: Amazon

Exam: AWS Certi ied Security - Specialty SCS-C02

Number of questions in the database: 789

Exam Version: NOV.2026

Topic 1 - Single Topic

Question #1Topic 1

The Security team believes that a former employee may have gained unauthorized access to AWS resources sometime in the past 3 months by using an identified access key.

What approach would enable the Security team to find out what the former employee may have done within AWS?

A. Use the AWS CloudTrail console to search for user activity.

B. Use the Amazon CloudWatch Logs console to filter CloudTrail data by user.

C. Use AWS Config to see what actions were taken by the user.

D. Use Amazon Athena to query CloudTrail logs stored in Amazon S3.

Correct Answer: A

Respuesta por mayor porcentaje de votación.

A (92%)

8%

Question #2Topic 1

A company is storing data in Amazon S3 Glacier. The security engineer implemented a new vault lock policy for 10TB of data and called initiate-vault-lock operation 12 hours ago. The audit team identified a typo in the policy that is allowing unintended access to the vault.

What is the MOST cost-effective way to correct this?

A. Call the abort-vault-lock operation. Update the policy. Call the initiate-vault-lock operation again.

B. Copy the vault data to a new S3 bucket. Delete the vault. Create a new vault with the data.

C. Update the policy to keep the vault lock in place.

https://dbcloud.academy/

D. Update the policy. Call initiate-vault-lock operation again to apply the new policy.

Correct Answer: A

Initiate the lock by attaching a vault lock policy to your vault, which sets the lock to an inprogress state and returns a lock ID. While in the in-progress state, you have 24 hours to

validate your vault lock policy before the lock ID expires.

Use the lock ID to complete the lock process. If the vault lock policy doesn't work as

expected, you can abort the lock and restart from the beginning. For information on how to

use the S3 Glacier API to lock a vault, see Locking a Vault by Using the Amazon S3 Glacier API.

Reference:

https://docs.aws.amazon.com/amazonglacier/latest/dev/vault-lock-policy.html

Respuesta por mayor porcentaje de votación.

A (86%)

14%

Question #3Topic 1

A company wants to control access to its AWS resources by using identities and groups that

are defined in its existing Microsoft Active Directory.

What must the company create in its AWS account to map permissions for AWS services to

Active Directory user attributes?

A. AWS IAM groups

B. AWS IAM users

C. AWS IAM roles

D. AWS IAM access keys

Correct Answer: C

Reference:

https://aws.amazon.com/blogs/security/how-to-connect-your-on-premises-active-directoryto-aws-using-ad-connector/

Respuesta por mayor porcentaje de votación.

C (100%)

Question #4Topic 1

A company has contracted with a third party to audit several AWS accounts. To enable the

https://dbcloud.academy/

audit, cross-account IAM roles have been created in each account targeted for audit. The Auditor is having trouble accessing some of the accounts.

Which of the following may be causing this problem? (Choose three.)

A. The external ID used by the Auditor is missing or incorrect.

B. The Auditor is using the incorrect password.

C. The Auditor has not been granted sts:AssumeRole for the role in the destination account.

D. The Amazon EC2 role used by the Auditor must be set to the destination account role.

E. The secret key used by the Auditor is missing or incorrect.

F. The role ARN used by the Auditor is missing or incorrect.

Correct Answer: CEF

Respuesta por mayor porcentaje de votación.

ACF (80%)

13%

7%

Question #5Topic 1

Compliance requirements state that all communications between company on-premises hosts and EC2 instances be encrypted in transit. Hosts use custom proprietary protocols for their communication, and EC2 instances need to be fronted by a load balancer for increased availability.

Which of the following solutions will meet these requirements?

A. Offload SSL termination onto an SSL listener on a Classic Load Balancer, and use a TCP connection between the load balancer and the EC2 instances.

B. Route all traffic through a TCP listener on a Classic Load Balancer, and terminate the TLS connection on the EC2 instances.

C. Create an HTTPS listener using an Application Load Balancer, and route all of the communication through that load balancer.

D. Offload SSL termination onto an SSL listener using an Application Load Balancer,

https://dbcloud.academy/

and re-spawn and SSL connection between the load balancer and the EC2 instances.

Correct Answer: B

Respuesta por mayor porcentaje de votación.

B (100%)

Question #6Topic 1

An application is currently secured using network access control lists and security groups. Web servers are located in public subnets behind an Application Load Balancer (ALB); application servers are located in private subnets.

How can edge security be enhanced to safeguard the Amazon EC2 instances against attack? (Choose two.)

A. Configure the application's EC2 instances to use NAT gateways for all inbound traffic.

B. Move the web servers to private subnets without public IP addresses.

C. Configure AWS WAF to provide DDoS attack protection for the ALB.

D. Require all inbound network traffic to route through a bastion host in the private subnet.

E. Require all inbound and outbound network traffic to route through an AWS Direct Connect connection.

Correct Answer: BC

Respuesta por mayor porcentaje de votación.

BC (100%)

Question #7Topic 1

A Security Administrator is restricting the capabilities of company root user accounts. The company uses AWS Organizations and has enabled it for all feature sets, including consolidated billing. The top-level account is used for billing and administrative purposes, not for operational AWS resource purposes.

How can the Administrator restrict usage of member root user accounts across the organization?

https://dbcloud.academy/

A. Disable the use of the root user account at the organizational root. Enable multifactor authentication of the root user account for each organizational member

account.

B. Configure IAM user policies to restrict root account capabilities for each

Organizations member account.

C. Create an organizational unit (OU) in Organizations with a service control policy

that controls usage of the root user. Add all operational accounts to the new OU.

D. Configure AWS CloudTrail to integrate with Amazon CloudWatch Logs and then

create a metric filter for RootAccountUsage.

Correct Answer: C

Reference:

https://docs.aws.amazon.com/organizations/latest/userguide/orgs_manage_policies_aboutscps.html

Respuesta por mayor porcentaje de votación.

C (100%)

Question #8Topic 1

A Systems Engineer has been tasked with configuring outbound mail through Simple Email

Service (SES) and requires compliance with current TLS standards.

The mail application should be configured to connect to which of the following endpoints and

corresponding ports?

A. email.us-east-1.amazonaws.com over port 8080

B. email-pop3.us-east-1.amazonaws.com over port 995

C. email-smtp.us-east-1.amazonaws.com over port 587

D. email-imap.us-east-1.amazonaws.com over port 993

Correct Answer: C

Reference:

https://docs.aws.amazon.com/ses/latest/DeveloperGuide/smtp-connect.html

Respuesta por mayor porcentaje de votación.

C (100%)

Question #9Topic 1

https://dbcloud.academy/