DBCLOUD
EXAMS

QUESTIONS & ANSWERS

verified



Technology Provider: Oracle
Exam: Oracle Database Administration II
Number of questions in the database: 189
Exam Version: NOV.2026

Topic 1 - Single Topic

Question #1*Topic 1*

Which three are true about thresholds, metrics, and server-generated alerts? (Choose three.)

- A. All metrics are instance related.
- B. Cleared stateful alerts are displayed by querying DBA_ALERT_HISTORY.
- C. A space usage management alert is automatically cleared after the underlying problem is resolved.
- D. They are generated by SMON when a tablespace is 97% full.
- E. Metrics are statistical counts for a specific unit.
- F. STATISTICS_LEVEL must be set to ALL to generate alerts.

Correct Answer: *CEF*
Reference:
https://docs.oracle.com/cd/E11882_01/server.112/e41573/autostat.htm#PFGRF027
https://blogs.oracle.com/oem/how-to-clear-an-alert-v2

Respuesta por mayor votación de la comunidad

BCE (100%)

Question #2*Topic 1*

While backing up to an SBT channel, you determine that the read phase of your compressed Recovery Manager (RMAN) incremental level 0 backup is a bottleneck.
FORCE LOGGING is enabled for the database.
Which two could improve read performance? (Choose two.)

- A. Increase the size of tape I/O buffers.
- B. Disable FORCE LOGGING for the database.
- C. Increase the size of the database buffer cache.
- D. Enable asynchronous disk I/O.
- E. Increase the level of RMAN multiplexing.

Correct Answer: *CE*

https://dbcloud.academy/

Respuesta por mayor votación de la comunidad

DE (100%)

Question #3*Topic 1*

For which two requirements can you use the USER_TABLESPACE clause with the CREATE PLUGGABLE DATABASE command? (Choose two.)

- A. to specify a default tablespace in a PDB cloned from another PDB in the same CDB.
- B. to exclude all tablespaces except SYSTEM, SYSAUX, and TEMP when plugging in a PDB
- C. to include specific user tablespaces only when relocating a PDB
- D. to specify the list of user tablespaces to include when moving a non-CDB to a PDB
- E. to exclude a temp tablespace when plugging in a PDB
- F. to specify the list of tablespaces to include when creating a PDB from the CDB seed

Correct Answer: *AC*
Reference:
https://docs.oracle.com/en/database/oracle/oracle-database/12.2/admin/creating-and-removing-pdbs-with-sql-plus.html#GUID-1C47D543-8376-48AE-A1AE-632316731D59

Respuesta por mayor votación de la comunidad

AC (53%)

DE (27%)

13%

7%

Question #4*Topic 1*

Which three are true about requirements for various FLASHBACK operations? (Choose three.)

- A. FLASHBACK transaction query requires undo to retrieve all versions of a row that existed between two points in time.
- B. FLASHBACK drop requires that the RECYCLEBIN parameter be set to ON.
- C. FLASHBACK version query requires that the RECYCLEBIN parameter be set to ON.
- D. FLASHBACK DATA ARCHIVE requires undo to store all versions of all rows of a table being tracked.
- E. FLASHBACK drop requires undo to retrieve all versions of a row that existed between two points in time.

https://dbcloud.academy/

- F. FLASHBACK version query requires undo to retrieve all versions of a row that existed between two points in time.

Correct Answer: *ABC*
Reference:
https://books.google.com.pk/books?id=0iwrL9P25Z0C&pg=PA35&lpg=PA35&dq=FLASHBACK+transaction+query+requires+undo+to+retrieve+all+versions+of+a+row+that+existed+between+two+points+in+time&source=bl&ots=MJnYl5CZ1u&sig=ACfU3U0dWP-NPd-U8uu3zbaoi3YZzT0FTQ&hl=en&sa=X&ved=2ahUKEwigi5_Jl9joAhXzUBUIHUh4DksQ6AEwAnoECAsQJg#v=onepage&q=FLASHBACK%20transaction%20query%20requires%20undo%20to%20retrieve%20all%20versions%20of%20a%20row%20that%20existed%20between%20two%20points%20in%20time&f=false
https://docs.oracle.com/cd/E18283_01/server.112/e17120/tables011.htm

Respuesta por mayor votación de la comunidad

ABF (55%)

BDF (45%)

Question #5*Topic 1*

Which three actions are performed by the Oracle Preinstallation RPM, oracle-database-server-xxxx-preinstall, for Oracle Grid Infrastructure, where xxxx is the Oracle version and release? (Choose three.)

- A. performing checks to ensure minimum configuration requirements for Oracle Grid Infrastructure are met
- B. creating the oracle OS user
- C. creating the OSDBA (dba) group
- D. creating the oraInventory (oinstall) group
- E. creating the grid OS user
- F. configuring the OS for Oracle Automatic Storage Management shared storage access

Correct Answer: *CDF*
Reference:
https://docs.oracle.com/cd/E11882_01/install.112/e41961/prelinux.htm#CWLIN2932

Respuesta por mayor votación de la comunidad

BCD (100%)

Question #6*Topic 1*

Which two are true about common objects? (Choose two.)

- A. They can be created only in CDB$ROOT.

https://dbcloud.academy/

- B. They can be only metadata-linked in an application container.
- C. They can exist in user-defined schemas only in application containers.
- D. They can exist in CDB$ROOT and an application root.
- E. They can be extended data-linked in CDB$ROOT.
- F. They can be created only in an application root.

Correct Answer: *EF*
Reference:
https://blog.toadworld.com/2017/08/01/oracle-multi-tenant-application-containers-part-iii-sharing-of-data-in-application-common-objects

Respuesta por mayor votación de la comunidad

BD (53%)

DE (47%)

Question #7*Topic 1*

Which two are true about the Automatic Database Diagnostic Monitor (ADDM)? (Choose two.)

- A. It analyzes a period of time corresponding to the 12 hours of activity.
- B. It runs automatically after each AWR snapshot.
- C. A DBA can run it manually.
- D. Results are written to the alert log.
- E. It analyzes a period of time corresponding to the last day of activity.

Correct Answer: *BD*

Respuesta por mayor votación de la comunidad

BC (86%)

14%

Question #8*Topic 1*

Which two are true about server-generated alerts? (Choose two.)

- A. Stateful alerts must be created by a DBA after resolving the problem.
- B. Stateless alerts can be purged manually from the alert history.
- C. Stateless alerts can be cleared manually.
- D. Stateless alerts are automatically cleared.
- E. Stateful alerts are purged automatically from the alert history.

https://dbcloud.academy/